

EFFECTS OF CROSSLINK GEOMETRY ON THE ELASTIC PROPERTIES OF NANO-STRUCTURED BIOPOLYMER NETWORKS

XIAOBO WANG, HANXING ZHU*, DAVID KENNEDY

School of Engineering, Cardiff University, Cardiff CF24 3AA, UK
E-mail: ZhuH3@cardiff.ac.uk

Key words: *elastic properties, biopolymer networks, modelling, crosslink geometry*

ABSTRACT

In cells, biopolymer networks play a major role in maintaining the cell shape and conducting the physical or chemical signals. Although it is generally recognised that these semi-flexible biopolymer networks are crucial in different cell functions, their elastic properties are not well understood [1, 2]. Due to the extreme complexity of these networks, using representative volume element (RVE) is found to be an efficient method to probe the elastic properties of these biopolymer network structures [3-5]. In this study, we mainly focus on the mechanical responses of actin filaments (F-actin) networks crosslinked by Filamin-A (FLNA). Thus a three dimensional random network model with periodic boundary conditions (PBC) [6, 7] is developed. In this model, actin filaments are modelled by straight elastic beams, however, filamins are modelled by deformable beams with different geometries. Specific geometry parameters and physical properties of both F-actin and FLNA are adopted according to existing experimental results [8, 9]. Effects of the crosslink geometry on the elasticity of the network are studied, which could give good suggestions for the design of advanced artificial biomedical equipment.

REFERENCES

- [1] M.L. Gardel, J.H. Shin, F.C. MacKintosh, L. Mahadevan, P. Matsudaira and D.A. Weitz, "Elastic Behavior of Cross-Linked and Bundled Actin Networks", *Science* Vol. **304**, pp. 1301-1305, (2004).
- [2] C. Storm, J.J. Pastore, F.C. MacKintosh, T.C. Lubensky and P.A. Janmey, "Nonlinear elasticity in biological gels", *Nature* Vol. **435**, pp. 191-194, (2005).
- [3] D.A. Head, A.J. Levine and F.C. MacKintosh, "Deformation of cross-linked semiflexible polymer networks", *Phys. Rev. Lett.* Vol. **91**, pp. 108102, (2003).
- [4] E.M. Huisman, T. van Dillen, P.R. Onck and E. Van der Giessen, "Three-dimensional cross-linked F-actin networks: relation between network architecture and mechanical behavior", *Phys. Rev. Lett.* Vol. **99**, pp. 208103, (2007).
- [5] Y.H. Ma, H.X. Zhu, B. Su, G.K. Hu and R. Perks. "The elasto-plastic behaviour of three-dimensional stochastic fibre networks with cross-linkers", *J. Mech. Phys. Solids.* Vol. **110**, pp. 155-172, (2018).
- [6] H.X. Zhu, J.R. Hobdell and A.H. Windle. "Effects of cell irregularity on the elastic properties of open-cell foams", *Acta Mater.* Vol. **48**, pp.4893-4900, (2000).
- [7] H.X. Zhu, J.R. Hobdell and A.H. Windle. "Effects of cell irregularity on the elastic properties of 2D Voronoi honeycombs", *J. Mech. Phys. Solids.* Vol. **49**, pp. 857-870, (2001).
- [8] F. Gittes, B. Mickey, J. Nettleton and J. Howard. "Flexural rigidity of microtubules and Actin Filaments Measured from Thermal Fluctuations in Shape", *J. Cell. Biol.* Vol. **120**, pp. 923-934, (1993).
- [9] M. Yamazaki, S. Furuike and T. Ito. "Mechanical response of single filamin A (ABP-280) molecules and its role in the actin cytoskeleton", *J. Muscle. Res. Cell. Motil.* Vol. **23**, pp. 525-34 (2002).