

S1. Variables defined based on Patient Episode Database for Wales (PEDW) data using International Statistical Classification of Disease and Related Health Problems (ICD-10) codes.

| Variable required | Description | ICD-10 codes | Position |
|--------------------------|--|---|-----------------|
| CHARLSON_SCORE | Charlson comorbidity single score | Using CHARLSON_SC_FLAG_01 to CHARLSON_SC_FLAG_16 in 2-14 coding positions with individual weights | ANY |
| CHARLSON_SC_FLAG_01 | Charlson score individual flag for acute myocardial infarction (Yes/No) | I21.0-I21.9, I22.0-I22.9, I25.2, I23.0-I23.8, I25.8 | ANY |
| CHARLSON_SC_FLAG_02 | Charlson score individual flag for cerebral-vascular accident (Yes/No) | G45.0, G45.1, G45.2, G45.4, G45.8, G45.9, G46.0-G46.8, I60.0-I60.9, I61.0-I61.9, I62.0-I62.9, I63.-I63.9, I64, I65.0-I65.9, I66.0-I66.9, I67.0, I67.1, I67.2, I67.4, I67.5, I67.6, I67.7, I6.78, I67.9, I68.1, I68.2, I68.8, I69.-I69.8, I67.3, I68.0 | ANY |
| CHARLSON_SC_FLAG_03 | Charlson score individual flag for congestive heart failure (Yes/No) | I50.0-I50.9 | ANY |
| CHARLSON_SC_FLAG_04 | Charlson score individual flag for connective tissue disorder (Yes/No) | M05.0-M05.9, M06.0, M06.3, M06.9, M32.0-M32.9, M33.2, M34.0-M34.9, M35.3 | ANY |
| CHARLSON_SC_FLAG_05 | Charlson score individual flag for dementia (Yes/No) | F00.0-F00.9, F01.0-F01.9, F02.0-F02.8, F05.1,F03 | ANY |
| CHARLSON_SC_FLAG_06 | Charlson score individual flag for diabetes (without long term complications) (Yes/No) | E10.1, E10.5, E10.9, E11.1, E11.5, E11.9, E13.1, E13.5, E13.9, E14.1, E14.5, E14.9, E10.6, E10.8, E11.6, E11.8, E13.6, E13.8, E14.6, E14.8 | ANY |

| Variable required | Description | ICD-10 codes | Position |
|--------------------------|---|---|-----------------|
| CHARLSON_SC_FLAG_07 | Charlson score individual flag for diabetes (with long term complications) (Yes/No) | E10.2, E10.3, E10.4, E11.2, E11.3, E11.4, E13.2, E13.3, E13.4, E14.2, E14.3, E14.4, E10.7, E11.7, E13.7, E14.7 | ANY |
| CHARLSON_SC_FLAG_08 | Charlson score individual flag for mild or moderate liver disease (Yes/No) | K70.2, K70.3, K71.7, K73.0-K73.9, K74.0, K74.1, K74.2, K74.3, K74.4, K74.5, K74.6 | ANY |
| CHARLSON_SC_FLAG_09 | Charlson score individual flag for severe liver disease (Yes/No) | K72.1, K72.9, K76.6, K76.7 | ANY |
| CHARLSON_SC_FLAG_10 | Charlson score individual flag for peptic ulcer (Yes/No) | K25, K26, K27, K28 | ANY |
| CHARLSON_SC_FLAG_11 | Charlson score individual flag for peripheral vascular disease (Yes/No) | I71.0-I71.9, I73.9, I79.0, R02, Z95.8, Z95.9 | ANY |
| CHARLSON_SC_FLAG_12 | Charlson score individual flag for pulmonary disease (Yes/No) | J40, J41.0-J41.8, J42, J43.0-J43.9, J44.0-J44.9, J45.0-J45.9, J46, J47, J60, J61, J62.0-J62.8, J63.0-J63.8, J64, J65, J66.0-J66.8, J67.0-J67.9 | ANY |
| CHARLSON_SC_FLAG_13 | Charlson score individual flag for cancer (Yes/No) | C00.0-C76.8, C81.0-C85.9, C88.3, C88.7, C88.9, C90.0, C90.1, C91.0-C91.9, C92.0-C92.9, C93.0-C93.9, C94.0, C94.1, C94.2, C94.3, C94.5, C94.7, C95.0-C95.9, C96.0-C96.9, C80.0-C80.9, C88.0, C88.1, C88.2, C90.2, C94.4, C97 | ANY |
| CHARLSON_SC_FLAG_14 | Charlson score individual flag for metastatic cancer (Yes/No) | C77.0-C77.9, C78.0-C78.8, C79.0-C79.9 | ANY |

| Variable required | Description | ICD-10 codes | Position |
|--------------------------|---|---|-----------------|
| CHARLSON_SC_FLAG_15 | Charlson score individual flag for paraplegia (Yes/No) | G04.1, G81.0-G81.9, G82.0, G82.1, G82.2 | ANY |
| CHARLSON_SC_FLAG_16 | Charlson Score individual flag for renal disease (Yes/No) | N01, N03, N05.2, N05.3, N05.4, N05.5, N05.6, N07.2, N07.3, N07.4, N18.1-N18.9, N19, N25.0-N25.9, I12.0-I12.9, I13.0-I13.9 | ANY |
| PEDW_ALC_FLAG_01 | Alcohol-related admission (Yes/No) | E24.4, E51.2, F10.0-F10.9, G31.2, G40.5, G62.1, G72.1, I42.6, K29.2, K70.0-K70.4, K70.9, K85.2, K86.0, O35.4, R78.0, T51.0, X45.0-X45.2, X45.4-X45.6, X45.8, X45.9, X65.0-X65.2, X65.4-X65.6, X65.8, X65.9, Y15.0, Y15.2, Y15.4, Y15.8, Y15.9, Y90.0-Y90.9, Y91.0-Y91.3, Y91.9, Z50.2, Z71.4, Z72.1 | ANY/123RZ |
| PEDW_ALC_FLAG_03 | F100 Acute intoxication(Yes/No) | F10.0 | ANY/123RZ |
| PEDW_ALC_FLAG_04 | F101 Harmful use(Yes/No) | F10.1 | ANY/123RZ |
| PEDW_ALC_FLAG_05 | F102 Dependence syndrome(Yes/No) | F10.2 | ANY/123RZ |
| PEDW_ALC_FLAG_06 | F103 Withdrawal(Yes/No) | F10.3 | ANY/123RZ |
| PEDW_ALC_FLAG_07 | F104 Withdrawal state(Yes/No) | F10.4 | ANY/123RZ |
| PEDW_ALC_FLAG_08 | Other F (F105, F106, F107, F108, F109) codes(Yes/No) | F10.5, F10.6, F10.7, F10.8, F10.9 | ANY/123RZ |

| Variable required | Description | ICD-10 codes | Position |
|--------------------------|--|--|-----------------|
| PEDW_ALC_FLAG_09 | F10 Mental and behavioural disorders due to use of alcohol(Yes/No) | F10.0, F10.1, F10.2, F10.3, F10.4, F10.5, F10.6, F10.7, F10.8, F10.9 | ANY/123RZ |
| PEDW_ALC_FLAG_10 | K700 Alcoholic fatty liver(Yes/No) | K70.0 | ANY/123RZ |
| PEDW_ALC_FLAG_11 | K701 Alcoholic hepatitis(Yes/No) | K70.1 | ANY/123RZ |
| PEDW_ALC_FLAG_12 | K702 Alcoholic fibrosis and sclerosis of liver(Yes/No) | K70.2 | ANY/123RZ |
| PEDW_ALC_FLAG_13 | K703 Alcoholic cirrhosis of liver(Yes/No) | K70.3 | ANY/123RZ |
| PEDW_ALC_FLAG_14 | K704 Alcoholic hepatic failure(Yes/No) | K70.4 | ANY/123RZ |
| PEDW_ALC_FLAG_15 | K709 Alcoholic liver disease, unspecified(Yes/No) | K70.9 | ANY/123RZ |
| PEDW_ALC_FLAG_16 | K70 Alcoholic liver disease(Yes/No) | K70.0, K70.1, K70.2, K70.3, K70.4, K70.9 | ANY/123RZ |
| PEDW_ALC_FLAG_17 | K852 Alcohol-induced acute pancreatitis(Yes/No) | K85.2 | ANY/123RZ |
| PEDW_ALC_FLAG_18 | K860 Alcohol-induced chronic pancreatitis- ANY (Yes/No) | K86.0 | ANY/123RZ |
| PEDW_ALC_FLAG_19 | T510 Toxic effect: Ethanol(Yes/No) | T51.0 | ANY/123RZ |

| Variable required | Description | ICD-10 codes | Position |
|--------------------------|---|--|-----------------|
| PEDW_ALC_FLAG_20 | X45, X65 External cause of morbidity(Yes/No) | X45.0–X45.9, X65.0–X65.9 | ANY/123RZ |
| PEDW_ALC_FLAG_21 | Y15, Y90, Y91 External cause of morbidity(Yes/No) | Y15.0, Y15.2, Y15.4, Y15.8, Y15.9, Y90.0–Y90.9, Y91.0–Y91.3, Y91.9 | ANY/123RZ |
| PEDW_ALC_FLAG_22 | Z Alcohol use(Yes/No) | Z50.2, Z71.4, Z72.1 | ANY/123RZ |
| PEDW_ALC_FLAG_23 | Foetal alcohol syndrome(Yes/No) | Q86.0 | ANY/123RZ |
| PEDW_ADD_FLAG_01 | Acute upper respiratory tract infections (Yes/No) | J00–J06, J10.1, J10.8, J11.1, J11.8 | ANY/1STNONRZ |
| PEDW_ADD_FLAG_02 | Influenza And Pneumonia (Yes/No) | J09 – J18 | ANY/1STNONRZ |
| PEDW_ADD_FLAG_03 | Acute lower respiratory infections including bronchiolitis (Yes/No) | J20 – J22 | ANY/1STNONRZ |
| PEDW_ADD_FLAG_04 | Acute bronchiolitis (Yes/No) | J21 | ANY/1STNONRZ |
| PEDW_ADD_FLAG_05 | Asthma (Yes/No) | J45–J46 | ANY/1STNONRZ |
| PEDW_ADD_FLAG_06 | Injury (Yes/No) | S00–T19 | ANY/1STNONRZ |
| PEDW_ADD_FLAG_07 | Burns (Yes/No) | T20–T32, T33–T35 | ANY/1STNONRZ |
| PEDW_ADD_FLAG_08 | Toxic effects (Yes/No) | T36–T71, T74, T75, T79 | ANY/1STNONRZ |
| PEDW_ADD_FLAG_09 | Head injury (Yes/No) | S06.0, S02.0, S02.1, S02.2, S02.3, S02.7, S02.8, S06.1 to S06.9 | ANY/1STNONRZ |
| PEDW_ADD_FLAG_10 | External causes short list (Yes/No) | V01–V99 | ANY/1STNONRZ |

| Variable required | Description | ICD-10 codes | Position |
|--------------------------|--|--|-----------------|
| PEDW_ADD_FLAG_11 | External causes long list (Yes/No) | V01-V99, W00-X59, X60-X84, X55-Y09, Y10-Y36 | ANY/1STNONRZ |
| PEDW_ADD_FLAG_12 | Gastro-intestinal infection (Yes/No) | A00-A09 | ANY/1STNONRZ |
| PEDW_ADD_FLAG_13 | Digestive (Yes/No) | K00-K93 | ANY/1STNONRZ |
| PEDW_ADD_FLAG_14 | Perinatal / Neonatal admission (Yes/No) | P00 – P96 | ANY/1STNONRZ |
| PEDW_ADD_FLAG_15 | Victimisation (Yes/No) | P96.1, T74, X85–Y34, Z04.0, Z04.5, Z04.8, Z60–Z63, Z65.3, Z72, Z74, Z76.1, Z76.2, Z81, Z86.5, Z91.6, Z91.8 | ANY/1STNONRZ |
| PEDW_ADD_FLAG_16 | Maltreatment (Yes/No) | T74, Y06, Y07 | ANY/1STNONRZ |
| PEDW_ADD_FLAG_17 | Assault (Yes/No) | X85 – Y03, Y04, Y05, Y08, Y09 | ANY/1STNONRZ |
| PEDW_ADD_FLAG_18 | Undetermined cause (Yes/No) | Y10 – Y34, Z04.0, Z04.5, Z04.8 | ANY/1STNONRZ |
| PEDW_ADD_FLAG_19 | Adverse social circumstances (Yes/No) | P96.1, Z60–Z63, Z65.3, Z72, Z74, Z76.1, Z76.2, Z81, Z86.5, Z91.6, Z91.8 | ANY/1STNONRZ |
| PEDW_ADD_FLAG_20 | Chemo/RT (Yes/No) | Z51.0-Z51.2, Z08.1, Z08.2, Z54.1, Z54.2 | ANY/1STNONRZ |
| PEDW_CHP_01_FLAG | Chapter I: Certain infectious and parasitic diseases (Yes/No) | A00-B99 | ANY/1STNONRZ |
| PEDW_CHP_02_FLAG | Chapter II: Neoplasms (Yes/No) | C00-D48 | ANY/1STNONRZ |
| PEDW_CHP_03_FLAG | Chapter III: Diseases of the blood and blood-forming organs and certain disorders involving the immune | D50-D89 | ANY/1STNONRZ |

| Variable required | Description | ICD-10 codes | Position |
|--------------------------|---|---------------------|-----------------|
| | mechanism (Yes/No) | | |
| PEDW_CHP_04_FLAG | Chapter IV: Endocrine, nutritional and metabolic diseases (Yes/No) | E00-E90 | ANY/1STNONRZ |
| PEDW_CHP_05_FLAG | Chapter V: Mental and behavioural disorders (Yes/No) | F00-F99 | ANY/1STNONRZ |
| PEDW_CHP_06_FLAG | Chapter VI: Diseases of the nervous system (Yes/No) | G00-G99 | ANY/1STNONRZ |
| PEDW_CHP_07_FLAG | Chapter VII: Diseases of the eye and adnexa (Yes/No) | H00-H59 | ANY/1STNONRZ |
| PEDW_CHP_08_FLAG | Chapter VIII: Diseases of the ear and mastoid process (Yes/No) | H60-H95 | ANY/1STNONRZ |
| PEDW_CHP_09_FLAG | Chapter IX: Diseases of the circulatory system (Yes/No) | I00-I99 | ANY/1STNONRZ |
| PEDW_CHP_10_FLAG | Chapter X: Diseases of the respiratory system (Yes/No) | J00-J99 | ANY/1STNONRZ |
| PEDW_CHP_11_FLAG | Chapter XI: Diseases of the digestive system (Yes/No) | K00-K93 | ANY/1STNONRZ |
| PEDW_CHP_12_FLAG | Chapter XII: Diseases of the skin and subcutaneous tissue (Yes/No) | L00-L99 | ANY/1STNONRZ |
| PEDW_CHP_13_FLAG | Chapter XIII: Diseases of the musculoskeletal system and connective tissue (Yes/No) | M00-M99 | ANY/1STNONRZ |

| Variable required | Description | ICD-10 codes | Position |
|--------------------------|---|---------------------|-----------------|
| PEDW_CHP_14_FLAG | Chapter XIV: Diseases of the genitourinary system (Yes/No) | N00-N99 | ANY/1STNONRZ |
| PEDW_CHP_15_FLAG | Chapter XV: Pregnancy, childbirth and the puerperium (Yes/No) | O00-O99 | ANY/1STNONRZ |
| PEDW_CHP_16_FLAG | Chapter XVI: Certain conditions originating in the perinatal period (Yes/No) | P00-P96 | ANY/1STNONRZ |
| PEDW_CHP_17_FLAG | Chapter XVII: Congenital malformations, deformations and chromosomal abnormalities (Yes/No) | Q00-Q99 | ANY/1STNONRZ |
| PEDW_CHP_18_FLAG | Chapter XVIII: Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (Yes/No) | R00-R99 | ANY/1STNONRZ |
| PEDW_CHP_19_FLAG | Chapter XIX: Injury, poisoning and certain other consequences of external causes (Yes/No) | S00-T98 | ANY/1STNONRZ |
| PEDW_CHP_20_FLAG | Chapter XX: External causes of morbidity and mortality (Yes/No) | V01-Y98 | ANY/1STNONRZ |
| PEDW_CHP_21_FLAG | Chapter XXI: Factors influencing health status and contact with health services (Yes/No) | Z00-Z99 | ANY/1STNONRZ |
| PEDW_CHP_22_FLAG | Chapter XXII: Codes for special | U00-U85 | ANY/1STNONRZ |

| Variable required | Description | ICD-10 codes | Position |
|--------------------------|--|---------------------|-----------------|
| | purposes (Yes/No) | | |
| PEDW_OPR_FLAG_01 | Paracentesis abdominis for ascites (Yes/No) | T46 | ANY |
| PEDW_OPR_FLAG_02 | Computed tomography of head (Yes/No) | U05 | ANY |
| PEDW_OPR_FLAG_03 | Fibreoptic endoscopic examination of upper gastrointestinal tract (Yes/No) | G43, G45 | ANY |
| PEDW_OPR_FLAG_04 | Magnetic resonance imaging (Yes/No) | U21 | ANY |
| PEDW_OPR_FLAG_05 | Fracture procedure (Yes/No) | V15, W19, W20, W24 | ANY |
| PEDW_OPR_FLAG_06 | Percutaneous biopsy of lesion of liver (Yes/No) | J13 | ANY |
| PEDW_OPR_FLAG_07 | Diagnostic endoscopic examination of lower bowel using fibreoptic sigmoidoscope (Yes/No) | H22, H25 | ANY |
| PEDW_OPR_FLAG_08 | Imaging of abdomen (Yes/No) | U08 | ANY |
| PEDW_OPR_FLAG_09 | Venesection (Yes/No) | X36 | ANY |
| PEDW_OPR_FLAG_10 | Ventilation support (Yes/No) | E85 | ANY |
| PEDW_OPR_FLAG_11 | Suture of skin of other site (Yes/No) | S42 | ANY |
| PEDW_OPR_FLAG_12 | Exploration of other skin of other site (Yes/No) | S57 | ANY |
| PEDW_OPR_FLAG_13 | Primary open reduction of fracture of | W26 | ANY |

| Variable required | Description | ICD-10 codes | Position |
|--------------------------|--|----------------------|-----------------|
| | bone and extramed (Yes/No) | | |
| PEDW_OPR_FLAG_14 | Reduction of fracture of mandible (Yes/No) | V15 | ANY |
| PEDW_OPR_FLAG_15 | Blood transfusion (Yes/No) | X33 | ANY |
| PEDW_OPR_FLAG_16 | Iv infusion (Yes/No) | X29 | ANY |
| PEDW_OPR_FLAG_17 | Pleurocentesis (Yes/No) | T12 | ANY |
| PEDW_OPR_FLAG_18 | Chemo/RT (Yes/No) | X65,X67,X68, X70-X73 | ANY |

ANY: Any of the 14 coding position.

123RZ: The first three coding position or the fourth position if the first three coding positions contain only R or Z code (except of R78.0, Z50.2, Z71.4, Z72.1).

1STNONRZ: The first coding position, which contains neither R nor Z codes.